

MAX-SERIES™
COMPACT TRACK LOADERS



asv
A FORCE IN NATURE.

THE ALL-NEW MAX-SERIES

WE REIMAGINED EVERY MAXIMUM.

In our world, bigger and tougher is always better. But when it came time to develop our brand-new line of MAX-Series compact track loaders, we narrowed our focus down to the most granular level. We stripped down and reimagined every single cab detail, which paid off in a big, big way: like maximum performance and comfort. And maximum control. Oh, and maximum productivity, too. Because when you're laser-focused on perfecting every inch, you wind up with something that exceeds expectations by miles. That something? The MAX-Series from ASV.



MEET YOUR MAX

From premium 360-degree visibility to our roomiest cab design yet, ASV MAX-Series compact track loaders are designed with creature comforts that let you work more comfortably from sunup to sundown. Plus, every MAX-Series machine is built to lead the industry in hydraulic performance, tractive effort, undercarriage technology, reliability and serviceability, meaning you'll be able to take on your next job like never before.

INCREASED OPERATOR AREA, including additional headroom, legroom and shoulder width, reduce fatigue during long jobs.

OPTIONAL HEAVY GAUGE, FALLING OBJECT PROTECTIVE STRUCTURE (FOPS) level 2 cab rating offers improved rollover protection and impact resistance.

All-terrain designs enable the ability to work in more places and in more conditions for maximum productivity from one day to the next.

Patented Posi-Track® undercarriage technology significantly reduces surface impact for operator comfort and smooth operation.



THE INDUSTRY'S FIRST ROOF ESCAPE hatch allows for easy exit in emergencies.

INDUSTRY-LEADING CAB pressurization system keeps dust and debris out of the cab while maintaining ideal temperature.

DUAL-THROTTLE capability allows operators to work at a set RPM with dial control and increase the RPM with a foot throttle.

CUSTOMIZABLE AND ADJUSTABLE SETTINGS FOR JOYSTICKS, recline, arm rests and lumbar support maximize controllability.

FULLY SUSPENDED SEAT is accessible to and comfortable for virtually any body type.

UPGRADED HVAC SYSTEM allows for ideal circulation and improved defrosting capabilities.



FLOOR-TO-CEILING GLASS WINDOWS provide a premium 360-degree visibility experience.



7-INCH FULL-COLOR TOUCHSCREEN display allows visibility to vital monitoring specs and backup camera.



BLUETOOTH RADIO AND HIGH-DEFINITION SPEAKERS offer a premium audio experience.



STATE-OF-THE-ART CONTROL PANEL offers easy and intuitive switch access.

MAX-SERIES™

Four different models deliver next-level performance for small landscaping projects, residential construction, acres of excavation and beyond.



RT-65 Key Specifications

| | |
|--------------------------|-----------|
| LOADER ARMS | Radial |
| OPERATING WEIGHT | 7,480 lbs |
| RATED OPERATING CAPACITY | 1,925 lbs |
| GROUND PRESSURE | 4.2 psi |
| ENGINE POWER | 67.0 hp |



VT-70 HIGH OUTPUT Key Specifications

| | |
|--------------------------|-----------|
| LOADER ARMS | Vertical |
| OPERATING WEIGHT | 8,035 lbs |
| RATED OPERATING CAPACITY | 2,328 lbs |
| GROUND PRESSURE | 4.5 psi |
| ENGINE POWER | 74.3 hp |



RT-75 Key Specifications

| | |
|--------------------------|-----------|
| LOADER ARMS | Radial |
| OPERATING WEIGHT | 9,060 lbs |
| RATED OPERATING CAPACITY | 2,750 lbs |
| GROUND PRESSURE | 3.5 psi |
| ENGINE POWER | 74.0 hp |



RT-75 HEAVY DUTY Key Specifications

| | |
|--------------------------|-----------|
| LOADER ARMS | Radial |
| OPERATING WEIGHT | 9,210 lbs |
| RATED OPERATING CAPACITY | 2,800 lbs |
| GROUND PRESSURE | 3.6 psi |
| ENGINE POWER | 74.0 hp |